

To: Kevin.Strohmeier@ky.gov[Kevin.Strohmeier@ky.gov];
robert.francis@ky.gov[robert.francis@ky.gov]
From: Smith, Art
Sent: Fri 1/31/2014 2:20:54 PM
Subject: Re: WTP results

Go ahead, Kevin.

From: Strohmeier, Kevin (EEC) <kevin.strohmeier@ky.gov>
Sent: Friday, January 31, 2014 8:55:33 AM
To: Smith, Art; robert.francis@ky.gov
Subject: RE: WTP results

So I will make this request of Jerry, or do you want to, Art? I'm less concerned about finished water sample analysis since we have our own, but that would be some nice information to have as well.

Kevin L. Strohmeier

Response Coordinator/State On-scene Coordinator

Kentucky Department for Environmental Protection

300 Fair Oaks Lane

Frankfort, KY 40601

270/734-5236 cell

502/564-2150 office

502/564-9634 fax

From: Smith, Art [mailto:Smith.Art@epa.gov]
Sent: Friday, January 31, 2014 8:30 AM
To: Strohmeier, Kevin (EEC); Francis, Robert (EEC)
Subject: Re: WTP results

If we don't get it, we won't be able to publish that information, if we get information requests.

From: Strohmeier, Kevin (EEC) <kevin.strohmeier@ky.gov>

Sent: Friday, January 31, 2014 7:45:57 AM
To: robert.francis@ky.gov; Smith, Art
Subject: WTP results

Is it reasonable and necessary to request final analytical results for MCHM from the WTPs through ORSANCO? It would be nice to help complete the picture.

Kevin L. Strohmeier

Response Coordinator/State On-scene Coordinator

Kentucky Department for Environmental Protection

300 Fair Oaks Lane

Frankfort, KY 40601

270/734-5236 cell

502/564-2150 office

502/564-9634 fax

